



Advanced PTZ Technology For Every Application



Accord™
PTZ Cameras



Legend™
PTZ Cameras



Pan/Tilt/Zoom Cameras

Video surveillance in any direction with amazing picture clarity

A New Take on Proven Technology

In this digital age, GE Security hasn't forgotten the standbys of video surveillance—in fact, we've improved on them. Our integrated PTZ systems boast new features, better reliability, and expanded third-party compatibility.

CyberDome™ II, Legend™, and Accord™ cameras cover a full range of applications. They offer greater surveillance coverage from fewer units, live subject monitoring, easy programming, indoor housings that blend with their surroundings and outdoor housings that withstand severe weather.

CyberDome II Cameras

CyberDome II, our entry- to mid-level bestseller, utilizes proven technology for reliable 24/7 security applications. New housing designs have improved the ability to withstand harsh environments, and the broadened line offers multiple day/night cameras with varying zoom ratios and two Wide Dynamic Range (WDR) models.

Legend Cameras

Built for the demanding user, the Legend has earned a reputation for precision, toughness, and versatility. SilkTrak™ direct drive technology does away with gears and belts for

remarkably smooth and precise movement. Preset positioning is accurate to ± 0.015 degrees, six times better than that of ordinary PTZ domes. An IP version of Legend is also available.

Accord Cameras

Built for harsh environments, Accord cameras offer full remote-control camera positioning in a very sturdy package. With the widest range of motion in its class, Accord can look straight up and straight down, and continuously pan 360 degrees.



Typical CyberDome II and Legend Applications:

With the ability to cover a large area, combined with advanced zoom programming features, CyberDome and Legend cameras are ideal for applications such as airports, schools, retail outlets and stadiums.



Transportation Hubs



Stadiums and Arenas



Schools

Select the right camera with our PTZ Dome Configurators



clear (no light loss)
smoke (0.5 f-stop loss)
bronze (1.0 f-stop loss)
chrome mirrored (2.0 f-stop loss)
gold mirrored (2.0 f-stop loss)

Select the Camera

That's Perfect For Your Needs

We realize that every customer has individual needs specific to their surveillance operation. That's why we offer the ability to customize your GE PTZ cameras as you see fit.

Our PTZ Dome Camera Configurators provide you with every PTZ camera option at your fingertips. Choose from an assortment of housings, cameras and lower dome bubbles. Camera options include multiple zoom ratios, day/night capability and more. With GE PTZ cameras, you're in total control.

Typical Accord Applications:

The rugged durability of the Accord series makes it ideal for outdoor applications such as rail stations, seaports, public utilities and government facilities.



Public Utilities



Ports and Stations

Advanced Features for Enhanced Security

Increased Third-Party Protocols

CyberDome II brings you new features like site-tied memory and third-party protocol compatibility—including Pelco Coaxitron, Pelco "P", Pelco "D" and Ultrak RS422 protocols.



Powerful Zoom Capabilities

See more with 36x optical and 12x digital zooms, bringing total magnification to 312x. Optical bubbles eliminate distortion.


Ideal in Harsh Environments

The Accord is designed for performance in rain or snow, winds of up to 155 miles per hour, and temperatures ranging from -30 to 122°F.



Live Subject Monitoring

Options such as 360° continuous pan rotation and electronic image flip, which keeps a subject right-side up when passing under the camera, makes subject monitoring easy.



GE
Security

Americas
503-885-5700
888-GE-SECURITY
888-(437-3287)

Asia
T 852-2907-8108
F 852-2142-5063

Australia
T 61-3-9259-4700
F 61-3-9259-4799

Europe
T 32-2-725-11-20
F 32-2-721-40-47

Latin America
T 305-593-4301
F 305-593-4300

gesecurity.com/video

© 2008 General Electric Company
All Rights Reserved.

Uncompromising Quality and Unlimited Possibilities

GE Pan/Tilt/Zoom cameras are compatible with a vast array of DVRs, software options and servers.



Hybrid DVRs

GE Pan/Tilt/Zoom cameras are fully compatible with the analog inputs on our family of Hybrid Digital Video Recorders, including SymDec™ 16 plus 4 and the SymSafe™ recorders.



Software

GE PTZ cameras and digital recorders are controlled with GE Security's SymSuite™ video management software: SymSecure™, SymNav™, and SymBrowser™. GE offers additional integration with its integrated security management platforms, as well as Omnicast 4.0 video management software.



Video Server

The SymNet™ family of video servers can be used to convert analog cameras to digital, and stream to either the SymSafe or SymDec Hybrid Recorders.

About GE's Security Business

GE Security, Inc., a wholly owned indirect subsidiary of the General Electric Company (NYSE: GE), is a leading supplier of security and life safety technologies, with operations in more than 35 countries and \$1.8 billion in annual revenue.

Leveraging a broad portfolio of advanced world-class technologies and best-in-class partners, GE delivers real-world, end-to-end security solutions that help protect people, assets and communities.

For additional information, please visit us online at gesecurity.com, or call 888-GE-SECURITY (437-3287).

GE-Security, making the world safer.

GE Security products are available through a global network of Strategic Partners, Integrators, Dealers and Distributors.



imagination at work